



• **София Дружба 2 "Цариградски комплекс" - част 1**
GSM: 0897 999 704

www.bisbg.com ; E-mail: office@bisbg.com

Бургас ул. Цар Калоян N 3; GSM: 0897 999 701


Стара загора ул. Августа Траяна N 60; GSM: 0897 999 702

Сливен бул. Панйот Хитов N 87 GSM: 0897 97 47 17



КОНВЕКТОМАТИ ГОТВАРСКИ

ПРОИЗВЕДЕНИ В ИТАЛИЯ ОТ **GARBIN S.p.a.**

Features 31 GX UMI – 3 нива	
	3 positions 1/1 GN mm 530x325 Motor with inverter Manual humidifier
Equipped	1 grid and 2 trays
Distance between trays	mm 80
Power	4000 W
Nominal voltage	230 V ~
External dimensions (LxWxH)	860 x 780 x 550
Internal dimensions (LxWxH)	690 x 515 x 280

Features **31 EX VAPOR - 3 нива**



3 positions 1/1 GN mm
530x325
Motor with inverter
Automatic programmable
humidifier
Core temperature sensor

20 programs/6 steps

Equipped

1 grid and 2 trays

Distance between trays

mm 80

Power

4000 W

Nominal voltage

230 V ~

External dimensions (LxWxH)

860 x 780 x 550

Internal dimensions (LxWxH)

690 x 515 x 280

Features **41 GX VAPOR - 4 нива**



4 positions 1/1 GN mm
530x325
Two motors with inverter
Manual humidifier

Equipped

2 grids and 2 trays

Distance between trays

mm 80

Power

**6600 W (Two heating
elements 3300 W + 3300 W)**

Nominal voltage

380-400 V ~ 2N

External dimensions (LxWxH)

860 x 780 x 630

Internal dimensions (LxWxH)

690 x 515 x 360



Features 41 EX VAPOR - 4 нива



**4 positions 1/1 GN mm
530x325
Two motors with inverter
Automatic programmable
humidifier
Core temperature sensor

20 programs/6 steps**

Equipped	2 grids and 2 trays
Distance between trays	mm 80
Power	6600 W (Two heating elements 3300 W + 3300 W)
Nominal voltage	380-4000 V ~ 2N
External dimensions (LxWxH)	860 x 780 x 630
Internal dimensions (LxWxH)	690 x 515 x 360


Features 45 GX VAPOR - 4 нива




**2 grids and 2 trays 1/1 GN
Two motors with inverter
Double humidifier with energy
regulator**

Equipped	2 grids and 2 trays (530x325)
Distance between trays	mm 80
Power	6600 W (Two heating elements 3300 W + 3300 W)
Nominal voltage	380-400 V ~ 3N
External dimensions (LxWxH)	920 x 760 x 780

Internal dimensions (LxWxH)	645 x 490 x 360

Features 45 EX VAPOR - 4 нива	
	<p>2 grids and 2 trays 1/1 GN Two motors with inverter Double humidifier with energy regulator</p> <p>20 programs/6 steps</p>
Equipped	2 grids and 2 trays (530x325)
Distance between trays	mm 80
Power	6600 W (Two heating elements 3300 W + 3300 W)
Nominal voltage	380-400 V ~ 3N
External dimensions (LxWxH)	920 x 760 x 780
Internal dimensions (LxWxH)	645 x 490 x 360

Features 61 GX VAPOR - 6 нива	
	<p>6 positions 1/1 GN mm 530x325 Two motors with inverter Double humidifier with energy regulator</p>
Equipped	2 grids and 2 trays
Distance between trays	mm 80
Power	8000 W (Two heating elements 4000 W + 4000 W)
Nominal voltage	380-400 V ~ 2N

External dimensions (LxWxH)	920 x 760 x 800
Internal dimensions (LxWxH)	645 x 490 x 520

Features 61 EX VAPOR - 6 нива

	<p>6 positions 1/1 GN mm 530x325</p> <p>Two motors with inverter Double automatic programmable humidifier Core temperature sensor</p> <p>20 programs/6 steps</p>
---	---

Equipped	2 grids and 2 trays
Distance between trays	mm 80
Power	8000 W (Two heating elements 4000 W + 4000 W)
Nominal voltage	380-400 V ~ 2N
External dimensions (LxWxH)	920 x 760 x 800
Internal dimensions (LxWxH)	645 x 490 x 520

Features 101 GX VAPOR - 10 нива

	<p>10 positions 1/1 GN mm 530x325</p> <p>Three motors with inverter Triple humidifier with energy regulator</p>
---	---

Equipped	2 grids and 2 trays
Distance between trays	mm 80

Power	12000 W (3 heating elements 2000 W + 2000 W)
Nominal voltage	380-400 V ~ 3N
External dimensions (LxWxH)	920 x 760 x 1120
Internal dimensions (LxWxH)	645 x 490 x 840

Features 101 EX VAPOR - 10 нива



**10 positions 1/1 GN mm
530x325**
Three motors with inverter
**Triple automatic
programmable humidifier**
Core temperature sensor

20 programs / 6 steps

Equipped	2 grids and 2 trays
Distance between trays	mm 80
Power	12000 W (3 heating elements 2000 W + 2000 W)
Nominal voltage	380-400 V ~ 3N
External dimensions (LxWxH)	920 x 760 x 1120
Internal dimensions (LxWxH)	645 x 490 x 840

